L Number	Hits	Search Text	DΒ	Time stamp
_	1876	printer same (screen display\$4 panel ui	USPAT;	2003/01/15
		(user adj interface)) same (password	EPO; JPO;	16:53
	1	secur\$6 secret)	DERWENT;	1 - 3 - 3 - 3
İ			IBM TDB	
-	25884	(confidential secur\$6) near4 (print\$4 job	USPAT;	2003/01/15
		document file)	EPO; JPO;	16:57
			DERWENT;	1 10.07
1			IBM TDB	
l _	633	(printer same (screen display\$4 panel ui	USPAT;	2003/01/15
	033	(user adj interface)) same (password	EPO; JPO;	16:57
		secur\$6 secret)) and ((confidential	DERWENT;	1 10.37
		secur\$6) near4 (print\$4 job document	1	†
		file) )	IBM_TDB	
<u>-</u>	74	user with enter\$4 same (printer same	USPAT;	2003/01/15
	, ,	(screen display\$4 panel ui (user ad)	EPO; JPO;	16:58
		interface)) same (password secur\$6	DERWENT;	16.36
		secret))	1	
l _	415	((confidential secur\$6) near4 (print\$4	IBM_TDB	2003/01/15
	413	job document file) ) same (printer same	USPAT;	2003/01/15
		/career displayed repel wit (was add	EPO; JPO;	16:58
		(screen display\$4 panel ui (user adj	DERWENT;	1
		interface)) same (password secur\$6	IBM_TDB	
1_	74	secret))		1 2002 (27 (7 5
1	'4	(   Paris   Pari	USPAT;	2003/01/16
		(screen display\$4 panel ui (user adj	EPO; JPO;	12:14
		interface)) same (password secur\$6	DERWENT;	
	1	secret))) same (printer same (screen	IBM_TDB	
		display\$4 panel ui (user adj interface))	1	
	1.0	same (password secur\$6 secret))	1	1
<del>-</del>	12	(user with enter\$4 same (printer same	USPAT;	2003/01/15
		(screen display\$4 panel ui (user adj	EPO; JPO;	17:01
		interface)) same (password secur\$6	DERWENT;	
		secret))) same ((confidential secur\$6)	IBM_TDB	
	1	near4 (print\$4 job document file) )		
-	40	printer same (perform\$4 process\$4) same	USPAT;	2003/01/15
		(print\$4 adj (job data)) same (printer	EPO; JPO;	17:04
		same (screen display\$4 panel ui (user adj	DERWENT;	
		interface)) same (password secur\$6	IBM_TDB	
		secret))		
-	20	(I ===== (F ===== (F ===== F == F == F	USPAT;	2003/01/16
		(print\$4 adj (job data)) same (printer	EPO; JPO;	11:57
		same (screen display\$4 panel ui (user adj	DERWENT;	1
		interface)) same (password secur\$6	IBM_TDB	
		secret))) and ((confidential secur\$6)	]	
	10000	near4 (print\$4 job document file) )	1	
-	10299	(secur\$4 privileg\$4 confiden\$4) near4	USPAT;	2003/01/16
		((print adj job) job document file)	EPO; JPO;	12:13
			DERWENT;	
			IBM_TDB	
-	1976	user with (assign\$4 enter\$4) with	USPAT;	2003/01/16
		((password secur\$6 secret privileg\$4	EPO; JPO;	12:28
	1	person\$4 confiden\$4) near4 (number code))	DERWENT;	
			IBM_TDB	
-	25	((secur\$4 privileg\$4 confiden\$4) near4	USPAT;	2003/01/16
		((print adj job) job document file)) same	EPO; JPO;	17:54
		(user with (assign\$4 enter\$4) with	DERWENT;	
	1	((password secur\$6 secret privileg\$4	IBM_TDB	
		person\$4 confiden\$4) near4 (number		
		code)))		
-	133	((secur\$4 privileg\$4 confiden\$4) near4	USPAT;	2003/01/16
		((print adj job) job document file)) and	EPO; JPO;	12:28
		(user with (assign\$4 enter\$4) with	DERWENT;	1
İ		((password secur\$6 secret privileg\$4	IBM_TDB	
		person\$4 confiden\$4) near4 (number	-	
		code)))		
-	23	(print adj job) with print with	USPAT;	2003/01/16
		((password secur\$6 secret privileg\$4	EPO; JPO;	16:36
1		person\$4 confiden\$4) near4 (number code))	DERWENT;	
	L	<u></u>	IBM TDB	]

Page 1

_	2	6307640.pn.	USPAT; EPO; JPO; DERWENT;	2003/01/16 16:36
_	1	6307640.pn. and alternativ\$4	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/16 16:36
-	25	<pre>((secur\$4 privileg\$4 confiden\$4) near4 ((print adj job) job document file)) same (user with (assign\$4 enter\$4) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:02
-	15862	(print\$4 adj job data) same ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/16 18:13
-	9607	(print\$4 adj job data) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/16 18:09
-	132	setting assign\$4) with ((print\$4 adj job data) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16
-	4055	<pre>(match\$4 compar\$4) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/16 18:15
-	41	<pre>((user operator client) with (creat\$4 setting assign\$4) with ((print\$4 adj job data) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))) and ((match\$4 compar\$4) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:18
_	20	<pre>(((user operator client) with (creat\$4 setting assign\$4) with ((print\$4 adj job data) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))) and ((match\$4 compar\$4) with ((password secur\$6 secret privileg\$4 person\$4 confiden\$4) near4 (number code)))) and (printer fax facsimile copier copy)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/16 18:19
-	594		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/17
_	1	re37031.pn.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/17 12:14
_	1	re37031.pn. and user	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/17
_	184212	ricoh.as.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/17 12:48

-	8	((user client operator) same (computer	USPAT;	2003/01/17
		workstation terminal) same (assign\$4	EPO; JPO;	12:48
		creat\$4 set setting establish\$4) same	DERWENT;	
		((person\$4 adj (identification id))	IBM_TDB	
		secret\$4 authori\$6 confident\$4 secur\$4) with ((print\$4 adj (job data)) document		
		file)) and ricoh.as.		!
l <u>-</u>	50	((user client operator) same (computer	USPAT;	2003/01/17
		workstation terminal) same (assign\$4	EPO; JPO;	14:36
		creat\$4 set setting establish\$4) same	DERWENT;	111.50
		((person\$4 adj (identification id))	IBM TDB	
		secret\$4 authori\$6 confident\$4 secur\$4)		[
		with ((print\$4 adj (job data)) document		
		file)) same print		
-	766	confidenT\$4 adj (document file)	USPAT;	2003/01/17
			EPO; JPO;	14:36
			DERWENT;	
		/ may 5 2 2 mA 4 1 1 / 1	IBM_TDB	
-	92	(confidenT\$4 adj (document file)) and	USPAT;	2003/01/17
		ricon.as.	EPO; JPO;	16:08
			DERWENT;	
_	2819	printer with (alarm\$4 sound\$4)	IBM_TDB USPAT;	2003/01/17
	2013	PIIIIOI WICH (WIMINGT SOUNDYT)	EPO; JPO;	16:11
			DERWENT;	-0.11
			IBM TDB	
-	0	(printer with (alarm\$4 sound\$4)) with	USPAT;	2003/01/17
		(print adj job)	EPO; JPO;	16:10
			DERWENT;	
			IBM_TDB	
-	2	1 (1	USPAT;	2003/01/17
		(print\$4 adj job)	EPO; JPO;	16:11
			DERWENT;	
	9	(maintan saith (-1-1-1-2)	IBM_TDB	0000/01/10
-	9	(printer with (alarm\$4 sound\$4)) same (print\$4 adj job)	USPAT;	2003/01/18
		(princaa adj job)	EPO; JPO; DERWENT;	09:53
			IBM TDB	
_	2147968	either	USPAT;	2003/01/18
			EPO; JPO;	09:54
	ļ		DERWENT;	*****
			IBM TDB	
-	12439	either with 'or'	USPAT;	2003/01/18
			EPO; JPO;	12:38
			DERWENT;	
_	_	6207640	IBM_TDB	0000/55/55
-	2	6307640.pn.	USPAT;	2003/01/21
			EPO; JPO;	14:29
			DERWENT; IBM TDB	
-	2	6151421.pn.	USPAT;	2003/01/21
		<del></del>	EPO; JPO;	14:29
			DERWENT;	
			IBM TDB	
-	1	6151421.pn. and sort\$4	USPAT;	2003/01/21
			EPO; JPO;	14:29
			DERWENT;	
			IBM_TDB	
_	119		USPAT;	2003/01/21
		number) with (print\$4 adj job)	EPO; JPO;	17:29
			DERWENT;	
_	69	(request\$4 with (id identif\$6 password	IBM_TDB   USPAT;	2003/01/21
		number) with (print\$4 adj job)) same	EPO; JPO;	17:16
		(printer copier copy adj machine fax)	DERWENT;	* / • 10
1		, over any manifest tany	IBM TDB	
-	51	(request\$4 with (id identif\$6 password	USPAT;	2003/01/21
		number) with (print\$4 adj job)) with	EPO; JPO;	17:16
		(printer copier copy adj machine fax)	DERWENT;	
			IBM_TDB	

-	51	(request\$4 with (id identif\$6 password	USPAT;	2003/01/21
		number) with (print\$4 adj job)) with	EPO; JPO;	17:19
	İ	(printer)	DERWENT;	
		(1-1000-7	IBM TDB	i i
_	45796	( display\$4 panel ui user adj interface)	USPAT;	2003/01/21
	13730	with (printer)	EPO; JPO;	17:50
		with (printer)	DERWENT;	17.30
1			•	
			IBM_TDB	
-	26		USPAT;	2003/01/21
		number) with (print\$4 adj job)) with	EPO; JPO;	17:20
		(printer)) and (( display\$4 panel ui user	DERWENT;	i
		adj interface) with (printer))	IBM TDB	
-	32709	request\$4 near3 (id identif\$6 password	USPAT;	2003/01/21
		number)	EPO; JPO;	17:37
		, ,	DERWENT;	
			IBM TDB	
l <u>-</u>	2	6307640.pn.	USPAT;	2003/01/21
	-	0507010.pii.	EPO; JPO;	17:50
				1 17.30
			DERWENT;	
			IBM_TDB	/ /
-	2	6307640.pn. and panel	USPAT;	2003/01/21
			EPO; JPO;	17:38
			DERWENT;	
			IBM_TDB	
-	28448	( display\$4 panel ui user adj interface)	USPAT;	2003/01/21
1	i	near4 (printer)	EPO; JPO;	17:51
		` <b>`</b>	DERWENT;	'
			IBM TDB	
_	1370	(request\$4 near3 (id identif\$6 password	USPAT;	2003/01/21
-	13/0		1	
ļ		number)) and (( display\$4 panel ui user	EPO; JPO;	17:51
		adj interface) near4 (printer))	DERWENT;	
1			IBM_TDB	1
-	5	(request\$4 near3 (id identif\$6 password	USPAT;	2003/01/21
	Ī	number)) with (( display\$4 panel ui user	EPO; JPO;	17:54
		adj interface) near4 (printer))	DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM TDB	
_	34	(request\$4 near3 (id identif\$6 password	USPAT;	2003/01/21
		number)) same (( display\$4 panel ui user	EPO; JPO;	17:54
		adj interface) near4 (printer))	DERWENT;	17.54
		adj interface, hear4 (printer)		1
	29	//	IBM_TDB	2002/01/21
-	29		USPAT;	2003/01/21
		number)) same (( display\$4 panel ui user	EPO; JPO;	17:58
		adj interface) near4 (printer))) not	DERWENT;	
	Ī	((request\$4 near3 (id identif\$6 password	IBM_TDB	
1		number)) with (( display\$4 panel ui user		
		adj interface) near4 (printer)))		
-	144		USPAT;	2003/01/21
	1	job)	EPO; JPO;	18:02
			DERWENT;	
			IBM TDB	j l
_	2	5982994.pn.	USPAT;	2003/01/22
		0002004.pii.		1 1
1			EPO; JPO;	13:08
			DERWENT;	
	1		IBM_TDB	
-	1	5999707.pn. and generator	USPAT;	2003/01/24
1	1		EPO; JPO;	09:58
1	1		DERWENT;	
			IBM TDB	
-	20	printer with display\$4 with stor\$4 with	USPAT;	2003/01/22
		(print adj job)	EPO; JPO;	17:48
		/r	DERWENT;	- / • • •
1_	2020	printer with (gounded alarmed)	IBM_TDB	2002/01/22
-	2820	printer with (sound\$4 alarm\$4)	USPAT;	2003/01/22
	1		EPO; JPO;	17:51
			DERWENT;	
1			IBM_TDB	
-	3	1 12	USPAT;	2003/01/22
	Ī	(print adj job)	EPO; JPO;	17:50
			DERWENT;	j l
	Ī		IBM TDB	
	1	<u></u>	1	L

			-	
-	31	(sound\$4 alarm\$4) same (print\$ adj job)	USPAT; EPO; JPO; DERWENT;	2003/01/23 17:35
_	31	((sound\$4 alarm\$4) same (print\$ adj job)) and print\$4	IBM_TDB USPAT; EPO; JPO;	2003/01/23
_	2	5970228.pn.	DERWENT; IBM_TDB USPAT;	2003/01/22
			EPO; JPO; DERWENT; IBM TDB	18:11
-	1	5970228.pn. and (display\$4 with printer)	USPĀT; EPO; JPO; DERWENT;	2003/01/23 10:32
_	1	5970228.pn. and (display\$4 with printer)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/23 12:21
_	38	(user operator client driver ui (user adj interface)) with ((confident\$4 secre\$4) adj print\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/23 13:44
_	2	((print\$4 adj driver) ui (user adj interface)) with ((confident\$4 secre\$4) adj print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/23 12:46
-	3	((print\$4 adj driver) ui (user adj interface)) same ((confident\$4 secre\$4) adj print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/23 12:48
-	15	((print\$4 adj driver) ui (user adj interface)) and ((confident\$4 secre\$4) adj print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/23 12:48
-	12	(user operator client) with (select\$4 enter\$4 input\$4) with ((confident\$4 secre\$4) adj print\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/01/23 13:47
-	38	((sound\$4 alarm\$4) same (print\$ adj job)) and print\$4	USPAT; EPO; JPO; DERWENT;	2003/01/23 14:03
_	3751	358/1.15.ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 09:59
_	11723	(358/1.1-1.18).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:02
-	208	(358/405).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:04
_	897	(358/438-441).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:05
_	926	(358/468).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:05
_	193	(382/101).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:05
_	283	(382/115).ccls.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/01/24 13:07
	+ 1	/27/22 10 21 52 24	IBM TDB	

Search History

-	199	(709/207).ccls.	USPAT;	2003/01/24
			EPO; JPO;	13:07
			DERWENT;	
			IBM_TDB	
_	1295	(709/224).ccls.	USPAT;	2003/01/24
			EPO; JPO;	13:07
			DERWENT;	
	2044	(700/227 222)1-	IBM_TDB	0000 (01 (04
-	2944	(709/227-232).ccls.	USPAT;	2003/01/24
			EPO; JPO;	13:08
			DERWENT; IBM TDB	
<u> </u>	107	(709/240).ccls.	USPAT;	2003/01/24
1	107	(109/240).CCIS.	EPO; JPO;	13:09
1			DERWENT;	13.09
-			IBM TDB	
1_	471	(709/245).ccls.	USPAT;	2003/01/24
ļ	1,1	(103/213/:0013.	EPO; JPO;	13:10
			DERWENT;	13.10
			IBM TDB	
-	393	(710/31,33).ccls.	USPAT;	2003/01/24
			EPO; JPO;	13:12
			DERWENT;	
			IBM TDB	
-	106	(710/44,46).ccls.	USPAT;	2003/01/24
ľ			EPO; JPO;	15:08
			DERWENT;	
			IBM TDB	
_	372	display\$4 with (print\$ adj (job data))	USPAT;	2003/01/24
		with receiv\$4	EPO; JPO;	15:14
			DERWENT;	
			IBM_TDB	
-	127	(messag\$4 inform\$4 warn\$4) with (print\$4	USPAT;	2003/01/24
		adj (job data)) near4 receiv\$4	EPO; JPO;	15:42
			DERWENT;	
			IBM_TDB	
_	15	((messag\$4 inform\$4 warn\$4) with (print\$4	USPAT;	2003/01/24
		adj (job data)) near4 receiv\$4) with	EPO; JPO;	15:44
		(display\$4 alarm\$4 sound\$4 beep\$4 buzz\$4)	DERWENT;	
	1		IBM_TDB	
_	164	(messag\$4 inform\$4 warn\$4 notif\$4) with	USPAT;	2003/01/24
		(print\$4 adj (job data)) near4 receiv\$4	EPO; JPO;	16:03
			DERWENT;	
		//	IBM_TDB	
_	20	, · · · · · · · · · · · · · · · · · · ·	USPAT;	2003/01/24
		(print\$4 adj (job data)) near4 receiv\$4)	EPO; JPO;	16:17
		same (display\$4 alarm\$4 sound\$4 beep\$4	DERWENT;	
_	0	buzz\$4)	IBM_TDB	2003/01/04
		(((messag\$4 inform\$4 warn\$4 notif\$4) with (print\$4 adj (job data)) near4 receiv\$4)	USPAT;	2003/01/24
	1	same (display\$4 alarm\$4 sound\$4 beep\$4	EPO; JPO;	15:45
	1	buzz\$4)) not ((messag\$4 inform\$4 warn\$4	DERWENT;	
		notif\$4) with (print\$4 adj (job data))	IBM_TDB	
		near4 receiv\$4)		
_	5		USPAT;	2003/01/24
		(print\$4 adj (job data)) near4 receiv\$4)	EPO; JPO;	15:45
		same (display\$4 alarm\$4 sound\$4 beep\$4	DERWENT;	12.37
		buzz\$4)) not (((messag\$4 inform\$4, warn\$4)	IBM TDB	
	[	with (print\$4 adj (job data)) near4	1011_100	
		receiv\$4) with (display\$4 alarm\$4 sound\$4		
		beep\$4 buzz\$4))		
-	1277		USPAT;	2003/01/24
		(print\$4 adj (job data))	EPO; JPO;	16:16
			DERWENT;	
			IBM TDB	
-	1583	(messag\$4 inform\$4 warn\$4 notif\$4	USPAT;	2003/01/24
		report\$4) with (print\$4 adj (job data))	EPO; JPO;	16:17
			DERWENT;	
	]		IBM TDB	

-	413	((messag\$4 inform\$4 warn\$4 notif\$4	USPAT;	2003/01/24
		report\$4) with (print\$4 adj (job data)) ) same (display\$4 alarm\$4 sound\$4 beep\$4 buzz\$4)	EPO; JPO; DERWENT; IBM TDB	16:18